





# White House Products Ltd

## Issue 5 - Section 27 Hose Assembly Equipment

To view an item, please click on the name below or use the bookmarks in your PDF software.  
To return to this page, please click on the red text in the top corner of each page.

<u><a href="#">Introduction and Contact Details</a></u>		<u><a href="#">H25B4 Swaging Machine</a></u>	<u><a href="#">367</a></u>
<u><a href="#">Swaging Machines</a></u>	<u><a href="#">367-368</a></u>	<u><a href="#">H32C4 Swaging Machine</a></u>	<u><a href="#">368</a></u>
<u><a href="#">Compact Swaging Machine</a></u>	<u><a href="#">367</a></u>	<u><a href="#">H50C4 Swaging Machine</a></u>	<u><a href="#">368</a></u>
<u><a href="#">SS01 Super Squeezer Swaging Machine</a></u>	<u><a href="#">367</a></u>	<u><a href="#">Hose Cut-off Machine</a></u>	<u><a href="#">368</a></u>
<u><a href="#">SS01E Super Squeezer Swaging Machine</a></u>	<u><a href="#">367</a></u>	<u><a href="#">Hand Skiving Machines</a></u>	<u><a href="#">368</a></u>
<u><a href="#">H25MM Swaging Machine</a></u>	<u><a href="#">367</a></u>		



📞 International +44 1475 742500    📞 UK 0800 130 3103  
✉ sales@whp.co.uk    📠 Fax +44 1475 742888

White House Products Ltd, Kelburn Business Park, Port Glasgow, Renfrewshire, PA14 6TD, Great Britain

# Welcome to the White House Products Ltd Catalogue

## Our promise to you...

- That over 90% of orders are delivered from stock!
- That all UK back orders are delivered FOC.
- That all stocked UK single pump and motor orders not requiring modification ordered before 4pm will be dispatched the SAME DAY.
- That any part supplied by us in error and unused by you will be collected by our courier from you and credited in full - inclusive of any carriage and packing costs - on its return.
- That any part ordered in error by you and returned to us as new will be credited in full against the correct replacement supplied by us.
- That we shall try our very best at all times to provide you with what you want.
- That if we don't have a particular pump or motor in stock we will offer to manufacture a replacement where this is possible.

## Ex-Stock Availability

All items shown in this catalogue are stock items and therefore normally available for immediate despatch.

## Enquiries, Pricing & Ordering

☎ **Telephone**  
 UK **0800 130 3103**  
 International **+44 1475 742500**

📠 **Fax - +44 1475 742888**


✉ **e-mail - [sales@whp.co.uk](mailto:sales@whp.co.uk)**

✉ **Postal Address**  
 White House Products Ltd  
 Kelburn Business Park, Port Glasgow,  
 Renfrewshire, PA14 6TD, Great Britain


🌐 **Prices and secure online ordering at**  
**[www.whp.co.uk](http://www.whp.co.uk)**

To obtain prices from our website you need to have a username and password. If you don't have these, please register by going to [www.whp.co.uk](http://www.whp.co.uk) and clicking on *Register*. You will get a username and password by return.

Internet ordering can be done using a credit account, if this has already been set up, or by credit card. To provide total security to our credit card customers, payments are transacted using Sage Pay's secure server.



Hose Assembly Equipment




**By whatever means you use, we look forward to hearing from you!**

**Swaging Machines**



**Swaging Machine - Compact**

Part No: **SSCOMPACT**  
 Capacity: R1AT & R2AT ¼" - ½" (2 wire).  
 Calibration: direct dial micrometer adjustment.  
 Operation: by twin speed hand pump with integral relief valve.  
 Pump rating: 700 bar (10,000 psi).  
 Optional Air/Hydraulic foot operated pump to replace hand pump. 5.5 - 7 bar input (80 - 100 psi).  
 Gross Weight: 25kg



**Swaging Machine - SS01 Super Squeezer - Manually Operated**

Part No: **SS01**  
 Capacity: R1AT & R2AT ¾" - 1 ¼" (2 wire) R9R/4SP up to 1" (4 wire)  
 Calibration: colour coded system  
 Operation: by a Twin Speed Hand Pump with integral relief valve.  
 Pump rating: 700 bar (10,000 psi)  
 Pump Option: Optional Air/Hydraulic foot pump to replace hand pump. 5.5 - 7 bar input (80 - 100 psi).  
 Gross Weight: 85kg



**Swaging Machine - SS01E Super Squeezer - Power Operated**

Part No: **SS01E**  
 Capacity: R1AT & R2AT ¾" - 1 ¼" (2 wire) R9R/4SP up to 1" (4 wire)  
 Calibration: colour coded system  
 Operation: by foot switch.  
 Pump rating: 700 bar (10,000 psi)  
 Motor: 0.55kW  
 Electrical Supply: 240V 1 phase 50Hz  
 Gross Weight: 90kg




**Swaging Machine - H25MM - Manually Operated (micrometer)**

Part No: **SSH25MM**  
 Capacity: R1AT & R2AT 3/16" - 1 1/4" (2 wire) R9R/4SP up to 1" (4 wire)  
 Calibration: Micrometer  
 Operation: by a Twin Speed Hand Pump with integral relief valve.  
 Pump rating: 700 bar (10,000 psi)  
 Pump Option: Optional Air/Hydraulic foot pump to replace hand pump. 5.5 - 7 bar input (80 - 100 psi).  
 Gross Weight: 60kg



**Swaging Machine - H25B4 - Electrically Operated**

1 Phase Part No: **SSH25B41P** 3 Phase Part No: **SSH25B43P**  
 Capacity: 1" R9R/4SP (4 wire)  
 Swaging range: 06mm - 45.9mm  
 Motor: 2.2kW  
 Max cycle time: (O - C) 12 sec (C - O) 17 sec  
 Electrical Supply: 1 Phase: 240V 50Hz 3 Phase: 415V 50Hz  
 Gross Weight: 130kg



Hose Assembly Equipment

## Swaging Machines

### Swaging Machine - H32C4 - Electrically Operated

1 Phase Part No: **SSH32C41P** 3 Phase Part No: **SSH32C43P**

Capacity: 1 1/4" R9R/4SP (4 wire)


Swaging range: 06mm - 51.9mm

Motor: 2.2kW

Max cycle time: (O - C) 4 sec (C - O) 10 sec

Electrical Supply: 1 Phase: 240V 50Hz 3 Phase: 415V 50Hz

Gross Weight: 130kg



### Swaging Machine - H50C4 - Electrically Operated

1 Phase Part No: **SSH50C41P** 3 Phase Part No: **SSH50C43P**

Capacity: 2" R9R/4SP (4 wire)


Swaging range: 06mm - 76.0mm

Motor: 2.2kW

Max cycle time: (O - C) 6 sec (C - O) 8 sec

Electrical Supply: 1 Phase: 240V 50Hz 3 Phase: 415V 50Hz

Gross Weight: 175kg



## Hose Cut Off Machine

### Hose Cut Off Machine - applications up to 2"

HCL - 1 Phase Part No: **SSHCL1P**

HCL - 3 Phase Part No: **SSHCL3P**

HCH - 1 Phase Part No: **SSHCH1P**

HCH - 3 Phase Part No: **SSHCH3P**

HCHDC - 12 Volt: **SSHCHDC**

Capacity: HCL - 1.5kW motor - up to 1 1/4" bore wire braid hose

HCH - 2.2kW motor - up to 2" bore wire braid hose

HCHDC - D.C. motor - up to 2" bore wire braid hose

Electrical Supply: 1 Phase: 240V 50Hz OR 3 Phase: 415V 50Hz OR 12 volt

Blade: smooth or serrated types manufactured in high speed steel

Gross Weight: (1.5kW) 45kg (2.2kW) 60kg (12v DC) 45kg



For prices, please register online or contact us by phone, fax or email.

## Hand Skiving Machine

### Hand Skiving Machine - applications up to 2"

Part No: **SSHSM**

Capacity: fully adjustable for varying diameters and lengths on

hose from 1/4" - 2" diameter bore

(1/4" - 2" external skiving) (5/8" - 2" internal skiving).

Suitable for fabric braid, wire braid and multi-spiral hose applications

Blade: High speed steel, with 2 cutting edges (external)

High speed steel, with single cutting edge (internal)

Mandrels: 9 off in steel 1/4" - 2" (external skiving)

6 off in steel 5/8" - 2" (internal skiving)

Priced individually, ask Sales for details

Gross Weight: 12kg



For prices, please register online or contact us by phone, fax or email.